

# Herzlich Willkommen bei Inf-Einf-B Woche 2.

**Heute weiter mit C.**

**Wenn es zu schnell geht, Section Video und Lecture Notes anschauen.**

**Kurs-Website** mit Wochenplan, Videos, Notizen, Aufgaben, FAQ, uvm.: [inf.zone](#)

Die Vorlesungen werden aufgezeichnet und im Internet veröffentlicht. Die Videos werden allerdings meist erst 3 Wochen später online sein; Folien und Notizen am Tag nach der Vorlesung. Machen Sie sich Notizen!

Ihre Fragen sind in der Aufzeichnung in der Regel nicht zu hören (ich wiederhole sie).

Seien Sie furchtlos und stellen Sie Fragen!  
*“Publicly not knowing is valuable!”*

Nutzen Sie die Zeit, bis es los geht! Stellen Sie sich mindestens zwei anderen Personen in Ihrer Nähe vor, die Sie noch nicht kennen! (Um das Eis zu brechen, sagen Sie einfach, dass Sie nur diese Anweisung befolgen.)

Wir machen heute keine Pause.

**This is CS50**

Dies ist Inf-Einf-B.

lernen wie Werte gespeichert werden

# Lesestufen



One fish. Two fish. Red fish. Blue fish.

Before Grade 1





Congratulations! Today is your day. You're off to Great  
Places! You're off and away!

Grade 3



It was a bright cold day in April, and the clocks were striking thirteen. Winston Smith, his chin nuzzled into his breast in an effort to escape the vile wind, slipped quickly through the glass doors of Victory Mansions, though not quickly enough to prevent a swirl of gritty dust from entering along with him.

Grade 10

# Lesestufen

# Kryptographie


U I J T X B T D T 5 0



Quellcode →

Compiler

→ Maschinencode



```
#include <stdio.h>

int main(void)
{
    printf("hello, world\n");
}
```

01111111	01000101	01001100	01000110	00000010	00000001	00000001	00000000
00000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000010	00000000	00111110	00000000	00000001	00000000	00000000	00000000
10110000	00000101	01000000	00000000	00000000	00000000	00000000	00000000
01000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
11010000	00010011	00000000	00000000	00000000	00000000	00000000	00000000
00000000	00000000	00000000	00000000	01000000	00000000	00111000	00000000
00001001	00000000	01000000	00000000	00100100	00000000	00100001	00000000
00000110	00000000	00000000	00000000	00000101	00000000	00000000	00000000
01000000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
01000000	00000000	01000000	00000000	00000000	00000000	00000000	00000000
01000000	00000000	01000000	00000000	00000000	00000000	00000000	00000000
11111000	00000001	00000000	00000000	00000000	00000000	00000000	00000000
11111000	00000001	00000000	00000000	00000000	00000000	00000000	00000000
00001000	00000000	00000000	00000000	00000000	00000000	00000000	00000000
00000011	00000000	00000000	00000000	00000100	00000000	00000000	00000000
00111000	00000010	00000000	00000000	00000000	00000000	00000000	00000000

...

```
make hello
```

```
./hello
```

```
clang hello.c
```

```
./a.out
```

```
clang -o hello hello.c
```

```
./hello
```

```
#include <cs50.h>
#include <stdio.h>

int main(void)
{
    string name = get_string("What's your name? ");
    printf("hello, %s\n", name);
}
```

```
clang -o hello hello.c -lcs50
```

```
./hello
```



```
make hello
```

```
./hello
```

compiling

preprocessing

compiling

assembling

linking

preprocessing

compiling

assembling

linking

```
#include <stdio.h>

void meow(void);

int main(void)
{
    for (int i = 0; i < 3; i++)
    {
        meow();
    }
}

void meow(void)
{
    printf("meow\n");
}
```

```
#include <cs50.h>
#include <stdio.h>

int main(void)
{
    string name = get_string("What's your name? ");
    printf("hello, %s\n", name);
}
```

```
#include <cs50.h>
#include <stdio.h>

int main(void)
{
    string name = get_string("What's your name? ");
    printf("hello, %s\n", name);
}
```

```
string get_string(string prompt);
#include <stdio.h>

int main(void)
{
    string name = get_string("What's your name? ");
    printf("hello, %s\n", name);
}
```



```
string get_string(string prompt);  
#include <stdio.h>  
  
int main(void)  
{  
    string name = get_string("What's your name? ");  
    printf("hello, %s\n", name);  
}
```

```
string get_string(string prompt);  
int printf(string format, ...);  
  
int main(void)  
{  
    string name = get_string("What's your name? ");  
    printf("hello, %s\n", name);  
}
```

preprocessing

compiling

assembling

linking

```
string get_string(string prompt);
int printf(string format, ...);

int main(void)
{
    string name = get_string("What's your name? ");
    printf("hello, %s\n", name);
}
```

```
...
main:                                # @main
    .cfi_startproc
# BB#0:
    pushq    %rbp
.Ltmp0:
    .cfi_def_cfa_offset 16
.Ltmp1:
    .cfi_offset %rbp, -16
    movq    %rsp, %rbp
.Ltmp2:
    .cfi_def_cfa_register %rbp
    subq    $16, %rsp
    xorl    %eax, %eax
    movl    %eax, %edi
    movabsq $.L.str, %rsi
    movb    $0, %al
    callq   get_string
    movabsq $.L.str.1, %rdi
    movq    %rax, -8(%rbp)
    movq    -8(%rbp), %rsi
    movb    $0, %al
    callq   printf
    ...
```

```
...
main:                                # @main
    .cfi_startproc
# BB#0:
    pushq    %rbp
.Ltmp0:
    .cfi_def_cfa_offset 16
.Ltmp1:
    .cfi_offset %rbp, -16
    movq    %rsp, %rbp
.Ltmp2:
    .cfi_def_cfa_register %rbp
    subq    $16, %rsp
    xorl    %eax, %eax
    movl    %eax, %edi
    movabsq $.L.str, %rsi
    movb    $0, %al
    callq   get_string
    movabsq $.L.str.1, %rdi
    movq    %rax, -8(%rbp)
    movq    -8(%rbp), %rsi
    movb    $0, %al
    callq   printf
    ...
```

```
...
main:                                # @main
    .cfi_startproc
# BB#0:
    pushq    %rbp
.Ltmp0:
    .cfi_def_cfa_offset 16
.Ltmp1:
    .cfi_offset %rbp, -16
    movq     %rsp, %rbp
.Ltmp2:
    .cfi_def_cfa_register %rbp
    subq    $16, %rsp
    xorl    %eax, %eax
    movl    %eax, %edi
    movabsq $.L.str, %rsi
    movb    $0, %al
    callq   get_string
    movabsq $.L.str.1, %rdi
    movq    %rax, -8(%rbp)
    movq    -8(%rbp), %rsi
    movb    $0, %al
    callq   printf
    ...
```

preprocessing

compiling

**assembling**

linking



```
...
main:                                # @main
    .cfi_startproc
# BB#0:
    pushq    %rbp
.Ltmp0:
    .cfi_def_cfa_offset 16
.Ltmp1:
    .cfi_offset %rbp, -16
    movq    %rsp, %rbp
.Ltmp2:
    .cfi_def_cfa_register %rbp
    subq    $16, %rsp
    xorl    %eax, %eax
    movl    %eax, %edi
    movabsq $.L.str, %rsi
    movb    $0, %al
    callq   get_string
    movabsq $.L.str.1, %rdi
    movq    %rax, -8(%rbp)
    movq    -8(%rbp), %rsi
    movb    $0, %al
    callq   printf
    ...
```

01111111010001010100110001000110  
00000010000000010000000100000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000001000000000011111000000000  
00000001000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
10100000000000100000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
01000000000000000000000000000000  
00000000000000000100000000000000  
00001010000000000000000100000000  
01010101010010001000100111100101  
01001000100000111110110000010000  
00110001110000001000100111000111  
01001000101111100000000000000000  
00000000000000000000000000000000  
00000000000000000101100000000000  
11101000000000000000000000000000  
00000000010010001011111000000000  
00000000000000000000000000000000  
0000000000000000000000001001000

...

preprocessing

compiling

assembling

linking

```
#include <cs50.h>
#include <stdio.h>

int main(void)
{
    string name = get_string("What's your name? ");
    printf("hello, %s\n", name);
}
```

hello.c

hello.c

cs50.c

hello.c

cs50.c

stdio.c

```
01111111010001010100110001000110
00000010000000010000000100000000
00000000000000000000000000000000
00000000000000000000000000000000
00000001000000000011111000000000
00000001000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
10100000000000100000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
01000000000000000000000000000000
00000000000000000100000000000000
00001010000000000000000100000000
01010101010010001000100111100101
01001000100000111110110000010000
00110001110000001000100111000111
01001000101111100000000000000000
00000000000000000000000000000000
00000000000000000101100000000000
11101000000000000000000000000000
00000000010010001011111000000000
00000000000000000000000000000000
00000000000000000000000001001000
```

cs50.c

stdio.c

...



```
01111111010001010100110001000110
00000010000000010000000100000000
00000000000000000000000000000000
00000000000000000000000000000000
00000001000000000011111000000000
00000001000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
10100000000000010000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
01000000000000000000000000000000
00000000000000000010000000000000
00001010000000000000000010000000
01010101010010001000100111100101
01001000100000111110110000010000
00110001110000001000100111000111
01001000101111100000000000000000
00000000000000000000000000000000
00000000000000000101100000000000
11101000000000000000000000000000
00000000010010001011111000000000
00000000000000000000000000000000
00000000000000000000000001001000
```

...

```
01111111010001010100110001000110
00000010000000001000000010000000
00000000000000000000000000000000
00000000000000000000000000000000
0000000110000000000011111000000000
00000001000000000000000000000000
11000000000011110000000000000000
00000000000000000000000000000000
01000000000000000000000000000000
00000000000000000000000000000000
00101000001100100000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
01000000000000000011100000000000
00000111000000000100000000000000
00011100000000000000110010000000
00000001000000000000000000000000
00000101000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
01011100001001010000000000000000
00000000000000000000000000000000
```

...

stdio.c

01111111010001010100110001000110  
00000010000000010000000100000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000001000000000011111000000000  
00000001000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
01000000000000000000000000000000  
00000000000000000010000000000000  
00001010000000000000000010000000  
01010101010010001000100111100101  
01001000100000111110110000010000  
00110001110000001000100111000111  
01001000101111100000000000000000  
00000000000000000000000000000000  
00000000000000000101100000000000  
11101000000000000000000000000000  
00000000010010001011111000000000  
00000000000000000000000000000000  
0000000000000000000000001001000

01111111010001010100110001000110  
00000010000000001000000010000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000011000000000011111000000000  
00000001000000000000000000000000  
11000000000011110000000000000000  
00000000000000000000000000000000  
01000000000000000000000000000000  
00000000000000000000000000000000  
00101000001100100000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
01000000000000000011100000000000  
00000111000000000100000000000000  
00011100000000000000110010000000  
00000001000000000000000000000000  
00000101000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
00000000000000000000000000000000  
01011100001001010000000000000000  
00000000000000000000000000000000

00101111011011000110100101100010  
01100011001011100111001101101111  
00101110001101100010000000101111  
01110101011100110111001000101111  
01101100011010010110001000101111  
01111000001110000011011001011111  
00110110001101000010110101101100  
01101001011011100111010101111000  
00101101011001110110111001110101  
00101111011011000110100101100010  
01100011010111110110111001101111  
01101110011100110110100001100001  
01110010011001010110010000101110  
01100001001000000010000001000001  
01010011010111110100111001000101  
01000101010001000100010101000100  
00100000001010000010000000101111  
01101100011010010110001000101111  
01111000001110000011011001011111  
00110110001101000010110101101100  
01101001011011100111010101111000  
00101101011001110110111001110101  
00101111011011000110010000101101  
01101100011010010110111001110101  
01111000001011010111100000111000  
00110110001011010011011000110100



preprocessing

compiling

assembling

linking

compiling

decompiling

reverse engineering





debugging





372

9/9

0800 Antan started  
 1000 " stopped - antan ✓

1300 (032) MP-MC	<del>1.582642000</del> 2.130476415	{ 1.2700 9.037 847 025	9.037 846 995 correct
(033) PRO 2	2.130476415		4.615925059(-2)
correct	2.130676415		

Relays 6-2 in 033 failed special speed test  
 in relay .. 11,000 test.

Relays changed  
 1100 Started Cosine Tape (Sine check)  
 1525 Started Multi Adder Test.

1545



Relay #70 Panel F  
 (moth) in relay.

First actual case of bug being found.  
~~1630~~ Antan started.  
 1700 closed down.

Relay  
 3145  
 Relay 337

In relay

11,000 test.

Relays changed

1100 Started Cosine Tapc (Sine check)

1525 Started Multi-Adder Test.

1545




Relay #70 Panel F  
(moth) in relay.

First actual case of bug being found.

~~1630~~ 1630 antantant started.

1700 closed down.



printf

printf

debug50



printf

debug50

rubber duck

rubber duck debugging

printf

debug50

rubber duck

cs50.ai



CS50

# Datentypen

bool

int

long

float

double

char

string

...

bool 1 byte

int 4 bytes

long 8 bytes

float 4 bytes

double 8 bytes

char 1 byte


string ? bytes

...









8BB12  
D9HXT

4G85



8BB12  
D9HXT

4G85



8BB12  
D9HXT

4G85






8BB12  
D9HXT

4G85



944N  
2842









8BB12  
D9HXT

4G85

™



8BB12  
D9HXT



8BB12 D9HXT 4G85




8BB12  
D9HXT  
4G85

9442  
2046







8BB12  
D9HXT  
4G85

9442  
2046








```
int score1 = 72;
```

```
int score2 = 73;
```

```
int score3 = 33;
```



72

score1


72

score1

73

score2


72

score1

73

score2

33

score3

000000000000000000000000000001001000

score1

000000000000000000000000000001001001

score2

00000000000000000000000000000100001

score3

00000000000000000000000000000100001							



```
int score1 = 72;
```

```
int score2 = 73;
```

```
int score3 = 33;
```

arrays

```
int scores[3];
```

```
int scores[3];
```

```
scores[0] = 72;
```

```
scores[1] = 73;
```

```
scores[2] = 33;
```

72

scores[0]

73

scores[1]


33

scores[2]

```
char c1 = 'H';
```

```
char c2 = 'I';
```

```
char c3 = '!';
```



H

c1

I

c2

!

c3




72

c1

73

c2

33


c3


01001000 c1	01001001 c2	00100001 c3					

string

string

```
string s = "HI!";
```



H

I

!

s

H

s[0]

I

s[1]

!

s[2]




H

s[0]

I

s[1]

!

s[2]

00000000

s[3]


H

s[0]

I


s[1]

!

s[2]

0

s[3]





72

s[0]

73

s[1]

33

s[2]

0

s[3]


H

I

!

\0

s

NUL


0	<u>NUL</u>	16	<u>DLE</u>	32	<u>SP</u>	48	0	64	@	80	P	96	`	112	p
1	<u>SOH</u>	17	<u>DC1</u>	33	!	49	1	65	A	81	Q	97	a	113	q
2	<u>STX</u>	18	<u>DC2</u>	34	"	50	2	66	B	82	R	98	b	114	r
3	<u>ETX</u>	19	<u>DC3</u>	35	#	51	3	67	C	83	S	99	c	115	s
4	<u>EOT</u>	20	<u>DC4</u>	36	\$	52	4	68	D	84	T	100	d	116	t
5	<u>ENQ</u>	21	<u>NAK</u>	37	%	53	5	69	E	85	U	101	e	117	u
6	<u>ACK</u>	22	<u>SYN</u>	38	&	54	6	70	F	86	V	102	f	118	v
7	<u>BEL</u>	23	<u>ETB</u>	39	'	55	7	71	G	87	W	103	g	119	w
8	<u>BS</u>	24	<u>CAN</u>	40	(	56	8	72	H	88	X	104	h	120	x
9	<u>HT</u>	25	<u>EM</u>	41	)	57	9	73	I	89	Y	105	i	121	y
10	<u>LF</u>	26	<u>SUB</u>	42	*	58	:	74	J	90	Z	106	j	122	z
11	<u>VT</u>	27	<u>ESC</u>	43	+	59	;	75	K	91	[	107	k	123	{
12	<u>FF</u>	28	<u>FS</u>	44	,	60	<	76	L	92	\	108	l	124	
13	<u>CR</u>	29	<u>GS</u>	45	-	61	=	77	M	93	]	109	m	125	}
14	<u>SO</u>	30	<u>RS</u>	46	.	62	>	78	N	94	^	110	n	126	~
15	<u>SI</u>	31	<u>US</u>	47	/	63	?	79	O	95	_	111	o	127	<u>DEL</u>

0	<u>NUL</u>	16	<u>DLE</u>	32	<u>SP</u>	48	0	64	@	80	P	96	`	112	p
1	<u>SOH</u>	17	<u>DC1</u>	33	!	49	1	65	A	81	Q	97	a	113	q
2	<u>STX</u>	18	<u>DC2</u>	34	"	50	2	66	B	82	R	98	b	114	r
3	<u>ETX</u>	19	<u>DC3</u>	35	#	51	3	67	C	83	S	99	c	115	s
4	<u>EOT</u>	20	<u>DC4</u>	36	\$	52	4	68	D	84	T	100	d	116	t
5	<u>ENQ</u>	21	<u>NAK</u>	37	%	53	5	69	E	85	U	101	e	117	u
6	<u>ACK</u>	22	<u>SYN</u>	38	&	54	6	70	F	86	V	102	f	118	v
7	<u>BEL</u>	23	<u>ETB</u>	39	'	55	7	71	G	87	W	103	g	119	w
8	<u>BS</u>	24	<u>CAN</u>	40	(	56	8	72	H	88	X	104	h	120	x
9	<u>HT</u>	25	<u>EM</u>	41	)	57	9	73	I	89	Y	105	i	121	y
10	<u>LF</u>	26	<u>SUB</u>	42	*	58	:	74	J	90	Z	106	j	122	z
11	<u>VT</u>	27	<u>ESC</u>	43	+	59	;	75	K	91	[	107	k	123	{
12	<u>FF</u>	28	<u>FS</u>	44	,	60	<	76	L	92	\	108	l	124	
13	<u>CR</u>	29	<u>GS</u>	45	-	61	=	77	M	93	]	109	m	125	}
14	<u>SO</u>	30	<u>RS</u>	46	.	62	>	78	N	94	^	110	n	126	~
15	<u>SI</u>	31	<u>US</u>	47	/	63	?	79	O	95	_	111	o	127	<u>DEL</u>



```
string s = "HI!";
```

```
string t = "BYE!";
```



H

I

!

\0

s

H I ! \0

s

B Y E !

t

\0

\0							

H

s[0]

I

s[1]

!

s[2]

\0

s[3]

B

t[0]

Y

t[1]

E

t[2]

!

t[3]

\0

t[4]

```
string words[2];
```

```
words[0] = "HI!";
```

```
words[1] = "BYE!";
```

H I ! \0

words[0]

B Y E !

words[1]

\0							

H

words[0][0]

I

words[0][1]

!

words[0][2]

\0

words[0][3]

B

words[1][0]

Y

words[1][1]

E

words[1][2]

!

words[1][3]

\0

words[1][4]



string

string.h

[manual.cs50.io/#string.h](http://manual.cs50.io/#string.h)

strlen

ctype.h

[manual.cs50.io/#ctype.h](http://manual.cs50.io/#ctype.h)

0	<u>NUL</u>	16	<u>DLE</u>	32	<u>SP</u>	48	0	64	@	80	P	96	`	112	p
1	<u>SOH</u>	17	<u>DC1</u>	33	!	49	1	65	A	81	Q	97	a	113	q
2	<u>STX</u>	18	<u>DC2</u>	34	"	50	2	66	B	82	R	98	b	114	r
3	<u>ETX</u>	19	<u>DC3</u>	35	#	51	3	67	C	83	S	99	c	115	s
4	<u>EOT</u>	20	<u>DC4</u>	36	\$	52	4	68	D	84	T	100	d	116	t
5	<u>ENQ</u>	21	<u>NAK</u>	37	%	53	5	69	E	85	U	101	e	117	u
6	<u>ACK</u>	22	<u>SYN</u>	38	&	54	6	70	F	86	V	102	f	118	v
7	<u>BEL</u>	23	<u>ETB</u>	39	'	55	7	71	G	87	W	103	g	119	w
8	<u>BS</u>	24	<u>CAN</u>	40	(	56	8	72	H	88	X	104	h	120	x
9	<u>HT</u>	25	<u>EM</u>	41	)	57	9	73	I	89	Y	105	i	121	y
10	<u>LF</u>	26	<u>SUB</u>	42	*	58	:	74	J	90	Z	106	j	122	z
11	<u>VT</u>	27	<u>ESC</u>	43	+	59	;	75	K	91	[	107	k	123	{
12	<u>FF</u>	28	<u>FS</u>	44	,	60	<	76	L	92	\	108	l	124	
13	<u>CR</u>	29	<u>GS</u>	45	-	61	=	77	M	93	]	109	m	125	}
14	<u>SO</u>	30	<u>RS</u>	46	.	62	>	78	N	94	^	110	n	126	~
15	<u>SI</u>	31	<u>US</u>	47	/	63	?	79	O	95	_	111	o	127	<u>DEL</u>

0	<u>NUL</u>	16	<u>DLE</u>	32	<u>SP</u>	48	0	64	@	80	P	96	`	112	p
1	<u>SOH</u>	17	<u>DC1</u>	33	!	49	1	65	A	81	Q	97	a	113	q
2	<u>STX</u>	18	<u>DC2</u>	34	"	50	2	66	B	82	R	98	b	114	r
3	<u>ETX</u>	19	<u>DC3</u>	35	#	51	3	67	C	83	S	99	c	115	s
4	<u>EOT</u>	20	<u>DC4</u>	36	\$	52	4	68	D	84	T	100	d	116	t
5	<u>ENQ</u>	21	<u>NAK</u>	37	%	53	5	69	E	85	U	101	e	117	u
6	<u>ACK</u>	22	<u>SYN</u>	38	&	54	6	70	F	86	V	102	f	118	v
7	<u>BEL</u>	23	<u>ETB</u>	39	'	55	7	71	G	87	W	103	g	119	w
8	<u>BS</u>	24	<u>CAN</u>	40	(	56	8	72	H	88	X	104	h	120	x
9	<u>HT</u>	25	<u>EM</u>	41	)	57	9	73	I	89	Y	105	i	121	y
10	<u>LF</u>	26	<u>SUB</u>	42	*	58	:	74	J	90	Z	106	j	122	z
11	<u>VT</u>	27	<u>ESC</u>	43	+	59	;	75	K	91	[	107	k	123	{
12	<u>FF</u>	28	<u>FS</u>	44	,	60	<	76	L	92	\	108	l	124	
13	<u>CR</u>	29	<u>GS</u>	45	-	61	=	77	M	93	]	109	m	125	}
14	<u>SO</u>	30	<u>RS</u>	46	.	62	>	78	N	94	^	110	n	126	~
15	<u>SI</u>	31	<u>US</u>	47	/	63	?	79	O	95	_	111	o	127	<u>DEL</u>



# Kommandozeilenparameter

```
#include <stdio.h>
```

```
int main(void)
```

```
{
```

```
    ...
```

```
}
```

```
#include <stdio.h>
```

```
int main(void)
```

```
{
```

```
    ...
```

```
}
```

```
#include <stdio.h>
```

```
int main(int argc, string argv[])  
{  
    ...  
}
```

ASCII Art

cowsay

exit status

## An unknown error occurred

Error code: 1132

[Report Problem](#)

OK



# 404

This is not the  
web page you  
are looking for.



```
#include <stdio.h>
```

```
int main(int argc, string argv[])  
{  
    ...  
}
```

```
#include <stdio.h>
```

```
int main(int argc, string argv[])  
{  
    ...  
}
```

```
#include <stdio.h>
```

```
int main(void)
```

```
{
```

```
    ...
```


```
}
```

echo \$?

# Kryptographie

# Verschlüsselung (encryption)


Eingabe →



→ Ausgabe



Klartext →



→ Chiffretext

Klartext →



→ Chiffretext

Schlüssel →


Klartext →





→ Chiffretext

1 →

HI! →








13 →


I LOVE YOU →



→ V YBIR LBH

26 →


I LOVE YOU →





26 →

I LOVE YOU →




→ I LOVE YOU

Entschlüsselung  
(decryption)

-1 →

UIJT XBT DT50 →



U I J T X B T D T 5 0

T I J T X B T D T 5 0

T H J T X B T D T 5 0

T H I T X B T D T 5 0

T H I S X B T D T 5 0



T H I S W B T D T 5 0

T H I S W A T D T 5 0

T H I S W A S D T 5 0

T H I S W A S C T 5 0

T H I S W A S C S 5 0

# This is CS50

Dies war Inf-Einf-B.